NAME:	ADM NO	CLASS	
INDEX No	DATE	SIGNATURE	
232/3			
PHYSICS			
PAPER 3			
JULY 2017			
2½ HOURS			

# MURUNG'A COUNTY MOCK END OF TERM II EXAMINATION QUESTIONS

## **Instructions to candidates**

- i) Write your name, admission number and other particulars in the spaces provided;
- ii) All working for numerical questions must be clearly shown;
- iii) Non programmable silent electronic calculators may be used
- iv) This paper consists of 4 printed pages, check and ascertain all pages are printed
- v) The paper is out of 40 marks;


# **QUESTION 1**

You are provided with the following apparatus

- > Two beakers.
- ➤ A complete retold stand.
- > Funnel.
- Cotton wool.
- Access to water.
- > Stop watch.
- ➤ A burette with a tap (50cm3).
- ➤ 100ml measuring cylinder.

## Proceed as follows:

a) Set the apparatus as follows:



- I Support the burrete on a result as shown above
- II Close the tap of the burrete and fill it with water to the brim
- b) Fill the burrette with water up to the 0cm3 mark. Drain this water into 100ml measuring cylinder and record its volume  $V_2$

$$V_2$$
......(1mk)

The excess water above the zero mark is given by

$$V_0 \equiv V_1 - V_2$$

$$V_0 = \dots (1mk)$$

(This volume should be added to the final volume of the burette reading when water has been drained)

c) Fill the burrete with water to the brim. Finally open the tap at once and start the stop watch simultaneously. Obtain the time, t taken for the level of water to reach  $X=10 \text{cm}^3$ 

Volume drained =  $(V_0+10)$  cm<sup>3</sup>

Refill the burette with water. Finally open the tap at once and start the stopwatch simultaneously.

Obtain the time taken for the level of water to reach  $x = 20cm^3$ 

Volume drained =  $(V_0+20)$  cm<sup>3</sup>

d) Repeat the procedure for other values of the burette readings.

Record the volume drained and the corresponding time in the table below.

Burette reading X(cm³)	Volume of water drained $v=(V_0 + x)cm^3$	Time t(s)	Log <sub>10</sub> V
10			
20			
30			
40			
45			
50			

(9marks)

i) Plot the graph of log<sub>10</sub>v (vertical axis) against time t.


- (5mks)
- ii) Using your graph, calculate the value for b and n from the equation. (3mark)

$$Log10_{V} = \frac{4.2t}{b} + n$$

# **QUESTION 2**

- a) You are provided with the following apparatus:
  - > Resistance wire fitted on a scale labelled MN
  - > Switch
  - ➤ Voltmeter (0.3v) or(0.5v)
  - ➤ Ammeter (0.1A)
  - > Two dry cells
  - ➤ Six connecting wires

i) Set up the apparatus as shown in the fig 1 below.



- ii) Remove the crocodile clip from the resistance wire MN and close the switch. Record the voltmeter reading. Y=....V (1mk)
- iii) Attach the crocodile clip to the resistance wire such that L=10cm.
- iv) Record the voltmeter and ammeter reading in the table below.
- v) Repeat the procedure in (iii) and (iv) for L= 20 cm, 30 cm, 40 cm, 50cm, 60 cm, 70cm and 80 cm.
- vi) Complete the table below.

(9mks)

Length L(cm)	10	20	30	50	80
Current I(A)					
p.d V(V)					
y-v					
$\frac{V}{Y-V}$					
$\overline{Y-V}$					
$\frac{V}{I}$ = R ( $\Omega$ )					

vii) a) Plot the graph of 
$$\frac{V}{Y-V}$$
 , vertical axis against R

(5mks)

b) Determine the slope, m of the graph

(2mks)

c) The graph is given by the equation

$$\frac{V}{Y-V} = \frac{MR}{5} + d$$

Determine the value of m and d

(3mks)