GENETICS

- 1. a) Ribonucleic acid
 - Has the base 'U' uracil
 - b) -G-C-A-G
- 2. RNA DNA
 a) Has ribose sugar Deoxyribose sugar
 b) Has uracil as one Has thyamine of its bases
 c) Single strand Double strand
- 3. Haemophilia (sickle cell anaemia)
- 4. Controls / regulates enzyme / synthesis for the material for inheritance.
- 5. Gametes form new offspring
- 6. Co-dominance / incomplete dominance
- 7. High yielding Hybrid vigour
 - Resistance to disease, early maturity.

Resistance to drought early maturity.

- 8. Y Chromosome Hairy pinna, tuft and hair sprouting from the pinna, baldness.
 - X Chromosome Colour blindness; Haemophilia
- 9. a) Smooth seed coat is dominant to wrinkled seed coat. Let R represent gene for smooth and parental genotype RR x rr

R R r r

	R	R
R	Rr	Rr
R	Rr	Rr

All F1 areRr

Parental genotypes Rr X Rr

Gamete



F2 genotypes

- i) Genotypic ratio 1RR : 2Rr: 1rr
- ii) Phenotype ratio 3 smooth: 1 wrinkled
- iii) Wrinkled number ¼ x 7324 = 1831

10. a)

Parental genotypes RR x WW

Gametes



F1 genotypes

b) 1:2:1 for ratio, 1 white: 2 pink: 1 red

c) Co-dominance / incomplete dominance / partial dominance / equal dominance.

11. a) White

- Fewer number / lower rates / absence of white in parent and its presence in offspring.
- b) Heterozygous/ Rr
- c) Homozygous / rr / double recessive.
- 12 a) i) Haemophilia
 - ii) Sickle cell anaemia
 - iii) Colour blindness
 - iv) Leukemia
 - v) Albinism
 - b) i) Inversion- A result of a chromosomal break up and rejoining with the middle piece turned by 180^o
 - ii) Translocation- A section of chromosome breaking and joining a

homologous chromosome.

- c) Phenotype: Black mice x Brown mice
 - Genotype Bb x bb

Gametes	В	b	b	b
F1 genotype	Bb	Bb	bb	bb
Phenotype	2 black		:	2 brown

- 13. a) It is alternative form of a chromosome been similar in structure but may have different composition.
 - b) i) Occurs when the nucleotides of a gene break off and disappear

- ii) Occurs when the nucleotides of a part of a gene become inverted by taking a 180[°] turn.
- c) Testing the genotype of an individual by crossing with the recessive trait.
- 14. a) i) Parents Homozygous x Heterozygous phenotype purple grains purple grains



1st filial generation

(Off springs)

- The genotype ratio:
- 2 homozygous purple coloured grains
- 2 heterozygous purple coloured grains
- ii) All purple coloured grained maize plants maize plants.
- b) Deliberate modification of a characteristics are of an organism by manipulates genes and DNA by transferring genes from one organism to another.
- c) It is when best characteristics are developed from both parents and offspring better than either parent.

- 15. i) Alleles are alternative forms of the same gene which control the inheritance of contrasting features of the same position in homologous chromosomes.
 - ii) Genotype is the genetic makeup or composition of an organism.
 - iii) Phenotype is the outward appearance of an organism with reference to a particular trait.
- 16. a) The genes for dark red colour and white colour are co-dominant. Since the calf is heterozygous it gets a coat colour that is intermediate between dark red and white
 - b) Let R represent the gene for dark red coat colour and W the gene for white coat colour.The light red bull must be heterozygous (RW) and the dark red cow must be

homozygous (RR)



Offspring genotypes

Offspring phenotypes Dark Red Light red

- 17. a) Linked genes are those genes that are found in the same chromosomes. They are usually inherited together.
 - b) These observation show that eye colour in fruit flies is a sex-linked trait. Since

it is well known that the Y chromosomes carries very few genes, we can assume that eye colour in fruit flies is an x-linked trait.

When a true-breeding, red-eyed female is mated with a white-eyed male, all the offspring received an X-chromosome carrying the dominant gene from the mother. Because of this, they all develop red eyed. This is illustrated below.

Parental phenotypes Red eyed female x white eyed m



Offspring genotypes

Offspring phenotypes	Red eyed	Red eyed
	females	males

When a true breeding white eyed female is mated with a red-eyed male, the female offspring receive an X-chromosome carrying the dominant gene from the father and develop red eyed. The male offspring received an X-chromosome carrying the recessive gene from the mother. They also receive a Y chromosome contains no genes for eye colour the male offspring develop white eyes.

Parental phenotypes White eyed female x Red eyed male



i)

Parental	genotype

Gametes Offspring genotypes Offspring phenotypes Red eyed White eyed females males Parental phenotypes red eyed female x white eyed male ii) XRY Parental genotype $X^{R}X'$ Gametes Offspring genotypes XRXR XRY XRX X'Y

Offspring phenotypes Red eyed White eyed Red eyed White eyed

Females Males females males

- a) Variation refers to the difference in specific characteristics that exist between members of a species e.g. in humans, characteristics that exist between members of a species e.g. in human, characteristics such as height, blood group.
 - b) Discontinuous variation refers to the existence of two or more distinct formsbetween them e.g. pink or white flowers in pea plants
 - Continuous variation refers to the existence of a characteristic in a continuous gradation between two extremes e.g. height, weight and fruit size in trees.
 - c) <u>Genetic variation</u> provides the raw materials for evolution by natural selection. It increases the chances of survival in an ever-changing environment. If a particular

species is highly adapted to a specific habitat, it might find it difficult to survive in case there is a sudden change in the environmental conditions. In absence of variation, such a change may lead to death of all members have a variation that adapts them to the new conditions they will survive. They will reproduce and multiply rapidly in the absence of competition from other forms. Since the variation is genetic, the adaptation is passed on to subsequent generations.

- d) When DDT was first used in the 1950's it was very effective in killing mosquitoes. In areas where mosquito populations were previously large, their numbers were greatly reduced. However, in the 1960's the number of mosquitoes in these areas began to rise again despite the continued application of DDT.
 - It then became evident that a few mutant forms had a variation that made them resistant to DDT. In the absence of competition from other forms, the resistant forms reproduced and multiplied very fast. The result was that the number of mosquitoes started to arise again despite the continued application of DDT. Thus the presence of a variation in the few mutant forms saved mosquitoes from extinction.
- 19. a) They represent the bases guamine, thymine, cytosine, adenine
 - b) It is a DNA strand because it contains the base thymine which is absent in RNA.
 - c) CAATCGACT
 - d) CAATCGACU
- 20. Human females produce one type of egg containing an X chromosome. Males produce two types of sperms; half contains a X-chromosome and the other half contains a Y chromosome.

Fertilization of the egg by a sperm carrying an X chromosome gives rise to a baby girl.

Fertilization of the egg by a sperm carrying a Y-chromosome gives rise to a baby boy.

